



NEVADA 2025 HIV FAST FACTS

Nevada Department of Human Services

Division of Public and Behavioral Health

Office of HIV Prevention and Surveillance Program

Joe Lombardo, Governor, State of Nevada

Laura Rich, MBA, CPM, Director, Department of Human Services

Andrea Rivers, MS, Administrator, Division of Public and Behavioral Health

Ihsan Azzam, PhD, MD, Chief Medical Officer

PURPOSE

The primary purpose of the Nevada HIV Fast Facts series report is to provide timely preliminary statistics and trends on HIV and HIV Stage 3 (AIDS) in Nevada. This annual publication is a reference document for policymakers, program managers, health planners, researchers, and community members who are concerned with the public health implications of this disease.

It is important to note that 2025 data published in this document is preliminary and should be interpreted with caution. Data preceding 2025 is provisional and subject to change as reporting and data quality are ongoing efforts.

METHODS

The data used for this report is information gathered between January 1, 2025 to December 31, 2025, and was obtained from the enhanced HIV/AIDS Reporting System (eHARS). Statistics in this publication are based on provisional data. The eHARS database application is provided by the Centers for Disease Control and Prevention (CDC) and is maintained by the Nevada Division of Public and Behavioral Health (DPBH) HIV Prevention and Surveillance Program (HPSP). The data is collected from local health departments, community providers, and medical laboratories. The HIV case definition for this report is based on the [Revised Surveillance Case Definition for HIV Infection, United States, 2014](#). Per the CDC, an individual may be diagnosed concurrently with both HIV and HIV Stage 3 (AIDS) within the same year, allowing them to be counted in both the HIV incidence and HIV Stage 3 (AIDS) incidence tables.

DATA CONSIDERATIONS

The enhanced HIV/AIDS Reporting System (eHARS) is a live database, and new information is entered as it is obtained. Due to delays in reporting inherent to surveillance systems, 2025 data is preliminary. Please use caution when viewing or interpreting any data from eHARS prior to a 12-month delay. Data from 2024 and earlier is considered provisional. As such, counts, rates, and percentages provided in this report from 2022, 2023, and 2024 may vary from when initially reported.

Preliminary 2025 data show a marked decrease in new diagnoses of HIV. A decrease in new diagnoses does not necessarily indicate reduced transmission. Gaps in reporting or reduction in prevention-seeking activities, such as HIV testing could produce changes to diagnosis data, but not transmission. To date, the Prevention and Surveillance Program at the Office of HIV has no evidence of new gaps in surveillance reporting, or a decline in CDC-funded testing. This does not, however, exclude the possibility of declines in HIV screenings statewide. Future epidemiological analyses will compare HIV incidence estimates to new diagnoses reported and will present updated data after the 12-month reporting delay.

Use caution when interpreting annual percent change or other trend data, as high variability is inherent to small case counts, and preliminary data.

Recent improvement in the timelines of death ascertainment and national case deduplication efforts is reflected within this report's data. These efforts may be more apparent when comparing 2022, 2023, and 2024, data to previous iterations.

TECHNICAL NOTES

Per the Administrative Code (NAC) 441a.040, HIV is a reportable communicable disease as prescribed by NRS 441A.150, a diagnosis of HIV is reported to the local health authority by providers, medical facilities, and laboratories.

VOCABULARY

- Age Group is defined as the age of the individual at the time of the HIV and/or Stage 3 (AIDS) diagnosis.
- All Other Counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine counties.
- Annual % Change is the percent increase or decrease relative to the number of cases in 2023. When interpreting data sets from small case counts, there may be high variability.
- Col % or Column % is the percentage of the observations in the column's category
- N is the total case count in the population
- n (used for sex stratification) is the case count within a specific category (e.g., males).
- New HIV diagnoses are diagnoses counted in eHARS surveillance statistics and may include HIV Stage 3 (AIDS) cases diagnosed in Nevada if diagnosis of HIV and Stage 3 occurred simultaneously. Counts of new diagnoses include persons both living and deceased. This data excludes persons diagnosed outside of Nevada who were diagnosed during the period, even if they are living in Nevada.
- New HIV Stage 3 (AIDS) diagnoses include persons whose HIV has progressed to Stage 3 (AIDS) while living in Nevada in the respective year. This count may duplicate case counts if the person was diagnosed with HIV and HIV Stage 3 (AIDS) in the same year.
- Persons living with HIV include data on persons living in Nevada with diagnosed HIV, including those who have been diagnosed with HIV Stage 3. These counts are based on most recent known address in eHARS. These persons may have been diagnosed within or outside of the state of Nevada.
- Preliminary data refers to data displayed prior to the completion of a 12-month reporting delay, which includes any 2025 data in this report.
- Provisional data is data that may be subject to revision as information continues to be collected and analyzed.
- Population is based on the 2025 projections from the Nevada State Demographer vintage 2025 data.
- Rate is the rate of the population per 100,000 persons and calculated by using the 2025 population projections from the Nevada State Demographer vintage 2025 data.

PRELIMINARY 2025 DATA TABLES

Table 1. Nevada New HIV Diagnoses, 2025

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
County of Diagnosis									
Clark	454	90%	18.7	377	92%	31.2	77	86%	6.3
Washoe	37	7%	7.1	27	7%	10.4	10	11%	3.9
All Other Counties**	11	2%	2.9	8	2%	4.2	3	3%	1.6
Total	502	100%	15.1	412	100%	24.9	90	100%	5.4
Race/Ethnicity									
White, non-Hispanic	147	29%	9.3	120	29%	15.0	27	30%	3.4
Black, non-Hispanic	121	24%	39.0	85	21%	54.5	36	40%	23.3
Hispanic	196	39%	18.7	179	43%	33.9	17	19%	3.3
Asian/Hawaiian/ Pacific Islander	26	5%	7.6	19	5%	12.0	7	8%	3.8
American Indian/ Alaska Native	2	0%	5.6	2	0%	11.5	0	0%	0.0
Multi-race/Other	10	2%	-	7	2%	-	3	3%	-
Total	502	100%	15.1	412	100%	24.9	90	100%	5.4
Age Group at Diagnosis									
< 13	1	0%	0.2	1	0%	0.4	0	0%	0.0
13 to 14	0	0%	0.0	0	0%	0.0	0	0%	0.0
15 to 19	7	1%	3.1	6	1%	5.1	1	1%	0.9
20 to 24	58	12%	24.5	47	11%	38.4	11	12%	9.6
25 to 29	83	17%	35.6	75	18%	62.8	8	9%	7.1
30 to 34	82	16%	34.2	73	18%	60.1	9	10%	7.6
35 to 39	60	12%	25.9	48	12%	40.8	12	13%	10.5
40 to 44	63	13%	29.9	52	13%	49.3	11	12%	10.5
45 to 54	79	16%	18.4	59	14%	27.4	20	22%	9.3
55 to 64	60	12%	14.8	47	11%	23.3	13	14%	6.4
65 +	9	2%	1.6	4	1%	1.6	5	6%	1.7
Total	502	100%	15.1	412	100%	24.9	90	100%	5.4
Transmission Category									
Male-to-male sexual contact (MSM)	290	58%	-	290	70%	-	0	0%	-
Injection drug use (IDU)	32	6%	-	23	6%	-	9	10%	-
MSM+IDU	19	4%	-	19	5%	-	0	0%	-
Heterosexual contact	42	8%	-	8	2%	-	34	38%	-
Perinatal exposure	1	0%	-	1	0%	-	0	0%	-
Transfusion/Hemophilia	0	0%	-	0	0%	-	0	0%	-
No identified risk (NIR)	118	24%	-	71	17%	-	47	52%	-
Total	502	100%	-	412	100%	-	90	100%	-

Source: Division of Public and Behavioral Health, HIV Reporting System (eHARS), (March 2026).

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states but who currently live in Nevada. HIV diagnoses and AIDS diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in the same year.

* Rates per 100,000 population were calculated using 2025 population projections from the Nevada State Demographer vintage 2025 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.

Table 2. Nevada New HIV Stage 3 (AIDS) Diagnoses, 2025

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
County of Diagnosis									
Clark	202	89%	8.3	166	91%	13.8	36	82%	2.9
Washoe	17	8%	3.3	11	6%	4.2	6	14%	2.3
All Other Counties**	7	3%	1.8	5	3%	2.6	2	5%	1.1
Unknown	0	0%	0.0	0	0%	0.0	0	0%	0.0
Total	226	100%	6.8	182	100%	11.0	44	100%	2.6
Race/Ethnicity									
White, non-Hispanic	74	33%	4.7	56	31%	7.0	18	41%	2.3
Black, non-Hispanic	53	23%	17.1	36	20%	23.1	17	39%	11.0
Hispanic	76	34%	7.2	69	38%	13.1	7	16%	1.3
Asian/Hawaiian/ Pacific Islander	14	6%	4.1	12	7%	7.6	2	5%	1.1
American Indian/ Alaska Native	1	0%	2.8	1	1%	5.8	0	0%	0.0
Multi-race/Other	8	4%	0.0	8	4%	0.0	0	0%	0.0
Total	226	100%	6.8	182	100%	11.0	44	100%	2.6
Age Group at Diagnosis									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 14	0	0%	0.0	0	0%	0.0	0	0%	0.0
15 to 19	3	1%	1.3	3	2%	2.6	0	0%	0.0
20 to 24	11	5%	4.6	10	5%	8.2	1	2%	0.9
25 to 29	19	8%	8.2	17	9%	14.2	2	5%	1.8
30 to 34	34	15%	14.2	29	16%	23.9	5	11%	4.2
35 to 39	35	15%	15.1	27	15%	23.0	8	18%	7.0
40 to 44	37	16%	17.6	30	16%	28.5	7	16%	6.7
45 to 54	41	18%	9.5	30	16%	13.9	11	25%	5.1
55 to 64	33	15%	8.1	27	15%	13.4	6	14%	2.9
65 +	13	6%	2.4	9	5%	3.6	4	9%	1.3
Total	226	100%	6.8	182	100%	11.0	44	100%	2.6
Transmission Category									
Male-to-male sexual contact (MSM)	121	54%	-	121	66%	-	0	0%	-
Injection drug use (IDU)	10	4%	-	6	3%	-	4	9%	-
MSM+IDU	5	2%	-	5	3%	-	0	0%	-
Heterosexual contact	23	10%	-	5	3%	-	18	41%	-
Perinatal exposure	0	0%	-	0	0%	-	0	0%	-
Transfusion/Hemophilia	0	0%	-	0	0%	-	0	0%	-
No identified risk (NIR)	67	30%	-	45	25%	-	22	50%	-
Total	226	100%	-	182	100%	-	44	100%	-

Source: Division of Public and Behavioral Health, HIV Reporting System (eHARS), (March 2026).

New stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes AIDS cases diagnosed in other states but who currently live in Nevada.

* Rates per 100,000 population were calculated using 2025 population projections from the Nevada State Demographer vintage 2025 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.

Table 3. Persons Living with Diagnosed HIV§ in Nevada, 2025

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
County of Residence									
Clark	12,823	87%	528.3	10,959	87%	908.3	1,864	85%	152.7
Washoe	1,339	9%	257.8	1,144	9%	440.2	195	9%	75.2
All Other Counties**	661	4%	173.8	530	4%	278.2	131	6%	69.0
Total	14,823	100%	445.5	12,633	100%	762.4	2,190	100%	131.1
Race/Ethnicity									
White, non-Hispanic	5,110	34%	322.1	4,486	36%	562.5	624	28%	79.1
Black, non-Hispanic	4,084	28%	1,316.0	3,094	24%	1,982.8	990	45%	641.7
Hispanic	4,479	30%	426.3	4,066	32%	769.9	413	19%	79.0
Asian/Hawaiian/ Pacific Islander	597	4%	173.7	514	4%	325.6	83	4%	44.7
American Indian/Alaska Native	66	0%	185.2	56	0%	323.1	10	0%	54.6
Multi-race/Other	485	3%	-	416	3%	-	69	3%	-
Unknown	2	0%	-	1	0%	-	1	0%	-
Total	14,823	100%	445.5	12,633	100%	762.4	2,190	100%	131.1
Age Group at End of Year									
< 13	9	0%	1.9	4	0%	1.6	5	0%	2.1
13 to 14	1	0%	1.2	0	0%	-	1	0%	2.5
15 to 19	26	0%	11.4	21	0%	18.0	5	0%	4.5
20 to 24	250	2%	105.4	218	2%	178.3	32	1%	27.9
25 to 29	762	5%	327.2	672	5%	562.4	90	4%	79.4
30 to 34	1,545	10%	643.8	1,400	11%	1,152.0	145	7%	122.4
35 to 39	1,981	13%	856.0	1,775	14%	1,510.0	206	9%	180.9
40 to 44	1,748	12%	829.7	1,508	12%	1,430.2	240	11%	228.0
45 to 54	2,834	19%	659.4	2,324	18%	1,077.8	510	23%	238.1
55 to 64	3,497	24%	862.9	2,936	23%	1,457.0	561	26%	275.3
65 +	2,170	15%	397.7	1,775	14%	715.9	395	18%	132.7
Unknown	0	0%	-	0	0%	-	0	0%	-
Total	14,823	100%	445.5	12,633	100%	762.4	2,190	100%	131.1
Transmission Category									
Male-to-male sexual contact	9,576	65%	-	9,576	76%	-	0	0%	-
Injection drug use (IDU)	764	5%	-	482	4%	-	282	13%	-
MSM+IDU	817	6%	-	817	6%	-	0	0%	-
Heterosexual contact	1,450	10%	-	360	3%	-	1,090	50%	-
Perinatal exposure	88	1%	-	36	0%	-	52	2%	-
Transfusion/Hemophilia	6	0%	-	3	0%	-	3	0%	-
No identified risk (NIR)	2,122	14%	-	1,359	11%	-	763	35%	-
Total	14,823	100%	-	12,633	100%	-	2,190	100%	-

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2026).

Rates per 100,000 population were calculated using 2025 population projections from the Nevada State Demographer vintage 2025 data.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2025.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.

Table 4. Clark County New HIV diagnoses, 2025

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	126	28%	12.6	105	28%	20.8	21	27%	4.3
Black, non-Hispanic	115	25%	39.7	84	22%	58.5	31	40%	21.2
Hispanic	177	39%	21.3	162	43%	38.9	15	19%	3.6
Asian/Hawaiian/ Pacific Islander	25	6%	8.5	18	5%	13.3	7	9%	4.4
American Indian/ Alaska Native	1	0%	6.6	1	0%	13.8	0	0%	0.0
Multi-race/Other	10	2%	0.0	7	2%	0.0	3	4%	0.0
Total	454	100%	18.7	377	100%	31.2	77	100%	6.3
Age Group at Diagnosis									
< 13	1	0%	0.3	1	0%	0.5	0	0%	0.0
13 to 14	0	0%	0.0	0	0%	0.0	0	0%	0.0
15 to 19	7	2%	4.1	6	2%	6.8	1	1%	1.2
20 to 24	53	12%	30.6	43	11%	48.6	10	13%	11.8
25 to 29	78	17%	45.4	70	19%	80.2	8	10%	9.5
30 to 34	76	17%	43.5	68	18%	77.0	8	10%	9.3
35 to 39	52	11%	30.7	42	11%	49.0	10	13%	12.0
40 to 44	58	13%	36.9	48	13%	61.5	10	13%	12.7
45 to 54	67	15%	20.4	51	14%	31.1	16	21%	9.8
55 to 64	55	12%	18.8	44	12%	30.3	11	14%	7.5
65 +	7	2%	1.9	4	1%	2.4	3	4%	1.5
Total	454	100%	18.7	377	100%	31.2	77	100%	6.3
Transmission Category									
Male-to-male sexual contact (MSM)	268	59%	-	268	71%	-	0	0%	-
Injection drug use (IDU)	27	6%	-	21	6%	-	6	8%	-
MSM+IDU	16	4%	-	16	4%	-	0	0%	-
Heterosexual contact	41	9%	-	8	2%	-	33	43%	-
Perinatal exposure	1	0%	-	1	0%	-	0	0%	-
Transfusion/Hemophilia	0	0%	-	0	0%	-	0	0%	-
No identified risk (NIR)	101	22%	-	63	17%	-	38	49%	-
Total	454	100%	-	377	100%	-	77	100%	-

Source: Division of Public and Behavioral Health, HIV Reporting System (eHARS), (March 2026).

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases where resident county at time of diagnosis is Clark County, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states but who currently live in Clark County. HIV diagnoses and HIV stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in the same year.

* Rates per 100,000 population were calculated using 2025 population projections from the Nevada State Demographer vintage 2025 data.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.

Table 5. Clark County New HIV Stage 3 (AIDS) Diagnoses, 2025

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	59	29%	5.9	47	28%	9.3	12	33%	2.4
Black, non-Hispanic	51	25%	17.6	36	22%	25.1	15	42%	10.3
Hispanic	72	36%	8.7	65	39%	15.6	7	19%	1.7
Asian/Hawaiian/ Pacific Islander	13	6%	4.4	11	7%	8.1	2	6%	1.3
American Indian/ Alaska Native	0	0%	0.0	0	0%	0.0	0	0%	0.0
Multi-race/Other	7	3%	-	7	4%	-	0	0%	-
Total	202	100%	8.3	166	100%	13.8	36	100%	2.9
Age Group at Diagnosis									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 14	0	0%	0.0	0	0%	0.0	0	0%	0.0
15 to 19	3	1%	1.8	3	2%	3.4	0	0%	0.0
20 to 24	11	5%	6.4	10	6%	11.3	1	3%	1.2
25 to 29	16	8%	9.3	15	9%	17.2	1	3%	1.2
30 to 34	30	15%	17.2	25	15%	28.3	5	14%	5.8
35 to 39	32	16%	18.9	25	15%	29.2	7	19%	8.4
40 to 44	34	17%	21.6	27	16%	34.6	7	19%	8.9
45 to 54	37	18%	11.3	28	17%	17.1	9	25%	5.5
55 to 64	29	14%	9.9	25	15%	17.2	4	11%	2.7
65 +	10	5%	2.7	8	5%	4.8	2	6%	1.0
Total	202	100%	8.3	166	100%	13.8	36	100%	2.9
Transmission Category									
Male-to-male sexual contact (MSM)	111	55%	-	111	67%	-	0	0%	-
Injection drug use (IDU)	8	4%	-	5	3%	-	3	8%	-
MSM+IDU	4	2%	-	4	2%	-	0	0%	-
Heterosexual contact	21	10%	-	5	3%	-	16	44%	-
Perinatal exposure	0	0%	-	0	0%	-	0	0%	-
Transfusion/ Hemophilia	0	0%	-	0	0%	-	0	0%	-
No identified risk (NIR)	58	29%	-	41	25%	-	17	47%	-
Total	202	100%	-	166	100%	-	36	100%	-

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2026).

New stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include stage 3 (AIDS) cases diagnosed in Clark County, both living and deceased. The surveillance data excludes AIDS cases diagnosed in other states but who currently live in Clark County. * Rates per 100,000 population were calculated using 2025 population projections from the Nevada State Demographer vintage 2025 data.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.

Table 6. Persons Living with Diagnosed HIV§ in Clark County, 2025

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	4,017	31%	403.2	3,519	35%	692.8	450	24%	91.4
Black, non-Hispanic	3,863	30%	1,333.5	2,759	27%	1,969.5	936	50%	641.1
Hispanic	3,934	31%	473.1	3,132	31%	775.7	339	18%	81.6
Asian/Hawaiian/ Pacific Islander	550	4%	186.8	430	4%	326.2	75	4%	47.2
American Indian/ Alaska Native	48	0%	315.3	42	0%	577.1	8	0%	100.3
Multi-race/Other	411	3%	-	310	3%	-	56	3%	-
Total	12,823	100%	528.3	10,192	100%	855.8	1,864	100%	152.7
Age Group at End of Year									
< 13	8	0%	2.2	3	0%	1.6	4	0%	2.3
13 to 14	1	0%	1.6	0	0%	-	1	0%	3.4
15 to 19	22	0%	12.8	22	0%	25.1	3	0%	3.6
20 to 24	222	2%	128.2	189	2%	221.2	25	1%	29.5
25 to 29	677	5%	393.9	643	6%	749.2	78	4%	92.2
30 to 34	1,383	11%	792.0	1,313	13%	1,480.3	127	7%	147.2
35 to 39	1,769	14%	1,045.4	1,394	14%	1,727.0	181	10%	216.8
40 to 44	1,547	12%	984.8	1,180	12%	1,441.8	202	11%	255.6
45 to 54	2,472	19%	753.6	2,009	20%	1,257.7	444	24%	270.9
55 to 64	2,950	23%	1,009.3	2,290	22%	1,629.0	467	25%	317.9
65 +	1,772	14%	479.7	1,149	11%	716.8	332	18%	164.5
Unknown	0	0%	-	0	0%	-	0	0%	-
Total	12,823	100%	528.3	10,192	100%	855.8	1,864	100%	152.7
Transmission Category									
Male-to-male sexual contact (MSM)	8,499	66%	-	7,910	78%	-	0	0%	-
Injection drug use (IDU)	579	5%	-	370	4%	-	204	11%	-
MSM+IDU	631	5%	-	620	6%	-	0	0%	-
Heterosexual contact	1,272	10%	-	306	3%	-	962	52%	-
Perinatal exposure	75	1%	-	32	0%	-	42	2%	-
Transfusion/Hemophilia	4	0%	-	2	0%	-	2	0%	-
No identified risk (NIR)	1,763	14%	-	952	9%	-	654	35%	-
Total	12,823	100%	-	10,192	100%	-	1,864	100%	-

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2026).

Persons living with HIV data include data on persons living in Nevada with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in Clark County or Nevada.

* Rates per 100,000 population were calculated using 2025 population projections from the Nevada State Demographer vintage 2025 data.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Clark County in 2025. Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.

Table 7. Washoe County New HIV Diagnoses, 2025

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	15	41%	4.8	11	41%	7.0	4	40%	2.6
Black, non-Hispanic	5	14%	35.0	0	0%	0.0	5	50%	79.2
Hispanic	15	41%	10.3	14	52%	19.1	1	10%	1.4
Asian/Hawaiian/ Pacific Islander	1	3%	2.5	1	4%	5.4	0	0%	0.0
American Indian/ Alaska Native	1	3%	15.2	1	4%	32.6	0	0%	0.0
Multi-race/Other	0	0%	-	0	0%	-	0	0%	-
Total	37	100%	7.1	27	100%	10.4	10	100%	3.9
Age Group at Diagnosis									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 14	0	0%	0.0	0	0%	0.0	0	0%	0.0
15 to 19	0	0%	0.0	0	0%	0.0	0	0%	0.0
20 to 24	3	8%	6.9	3	11%	13.5	0	0%	0.0
25 to 29	4	11%	10.6	4	15%	20.4	0	0%	0.0
30 to 34	4	11%	11.0	3	11%	16.5	1	10%	5.5
35 to 39	7	19%	20.5	5	19%	29.6	2	20%	11.6
40 to 44	5	14%	14.4	4	15%	23.1	1	10%	5.8
45 to 54	10	27%	16.9	6	22%	20.1	4	40%	13.6
55 to 64	2	5%	3.2	2	7%	6.5	0	0%	0.0
65 +	2	5%	2.2	0	0%	0.0	2	20%	4.1
Total	37	100%	7.1	27	100%	10.4	10	100%	3.9
Transmission Category									
Male-to-male sexual contact (MSM)	17	46%	-	17	63%	-	0	0%	-
Injection drug use (IDU)	3	8%	-	1	4%	-	2	20%	-
MSM+IDU	2	5%	-	2	7%	-	0	0%	-
Heterosexual contact	0	0%	-	0	0%	-	0	0%	-
Perinatal exposure	0	0%	-	0	0%	-	0	0%	-
Transfusion/Hemophilia	0	0%	-	0	0%	-	0	0%	-
No identified risk (NIR)	15	41%	-	7	26%	-	8	80%	-
Total	37	100%	-	27	100%	-	10	100%	-

Source: Division of Public and Behavioral Health, HIV Reporting System (eHARS), (March 2026).

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases where resident county at time of diagnosis is Washoe County, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states but who currently live in Washoe County. HIV diagnoses and HIV stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in the same year.

* Rates per 100,000 population were calculated using 2025 population projections from the Nevada State Demographer vintage 2025 data.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.

Table 8. Washoe County New HIV Stage 3 (AIDS) Diagnoses, 2025

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	10	59%	3.2	6	55%	3.8	4	67%	2.6
Black, non-Hispanic	2	12%	14.0	0	0%	0.0	2	33%	31.7
Hispanic	3	18%	2.1	3	27%	4.1	0	0%	0.0
Asian/Hawaiian/ Pacific Islander	1	6%	2.5	1	9%	5.4	0	0%	0.0
American Indian/ Alaska Native	0	0%	0.0	0	0%	0.0	0	0%	0.0
Multi-race/Other	1	6%	-	1	9%	-	0	0%	-
Total	17	100%	3.3	11	100%	4.2	6	100%	2.3
Age Group at Diagnosis									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 14	0	0%	0.0	0	0%	0.0	0	0%	0.0
15 to 19	0	0%	0.0	0	0%	0.0	0	0%	0.0
20 to 24	0	0%	0.0	0	0%	0.0	0	0%	0.0
25 to 29	3	18%	8.0	2	18%	10.2	1	17%	5.5
30 to 34	2	12%	5.5	2	18%	11.0	0	0%	0.0
35 to 39	3	18%	8.8	2	18%	11.8	1	17%	5.8
40 to 44	2	12%	5.8	2	18%	11.5	0	0%	0.0
45 to 54	4	24%	6.8	2	18%	6.7	2	33%	6.8
55 to 64	2	12%	3.2	1	9%	3.3	1	17%	3.2
65 +	1	6%	1.1	0	0%	0.0	1	17%	2.1
Total	17	100%	3.3	11	100%	4.2	6	100%	2.3
Transmission Category									
Male-to-male sexual contact (MSM)	6	35%	-	6	55%	-	0	0%	-
Injection drug use (IDU)	2	12%	-	1	9%	-	1	17%	-
MSM+IDU	1	6%	-	1	9%	-	0	0%	-
Heterosexual contact	1	6%	-	0	0%	-	1	17%	-
Perinatal exposure	0	0%	-	0	0%	-	0	0%	-
Transfusion/ Hemophilia	0	0%	-	0	0%	-	0	0%	-
No identified risk (NIR)	7	41%	-	3	27%	-	4	67%	-
Total	17	100%	-	11	100%	-	6	100%	-

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2026).

New stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include stage 3 (AIDS) cases where resident county at time of diagnosis is Washoe County. The surveillance data excludes AIDS cases diagnosed in other states but who currently live in Washoe County.

* Rates per 100,000 population were calculated using 2025 population projections from the Nevada State Demographer vintage 2025 data.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.

Table 9. Persons Living with Diagnosed HIV§ in Washoe County, 2025

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	715	53%	229.5	618	54%	394.5	97	50%	62.6
Black, non-Hispanic	146	11%	1020.7	108	9%	1351.6	38	19%	601.8
Hispanic	381	28%	260.4	334	29%	454.6	47	24%	64.5
Asian/Hawaiian/ Pacific Islander	37	3%	91.1	31	3%	166.0	6	3%	27.3
American Indian/ Alaska Native	8	1%	121.9	7	1%	228.4	1	1%	28.6
Multi-race/Other	51	4%	-	45	4%	-	6	3%	-
Unknown	1	0%	-	1	0%	-	0	0%	-
Total	1,339	100%	257.8	1,144	100%	440.2	195	100%	75.2
Age Group at End of Year									
< 13	1	0%	1.3	0	0%	0.0	1	1%	2.8
13 to 14	0	0%	0.0	0	0%	0.0	0	0%	0.0
15 to 19	3	0%	8.7	1	0%	5.7	2	1%	11.9
20 to 24	19	1%	43.7	15	1%	67.6	4	2%	18.8
25 to 29	69	5%	183.0	58	5%	295.1	11	6%	61.0
30 to 34	123	9%	339.4	111	10%	610.5	12	6%	66.5
35 to 39	140	10%	410.1	124	11%	733.2	16	8%	92.9
40 to 44	146	11%	421.5	114	10%	657.0	32	16%	185.1
45 to 54	237	18%	400.2	203	18%	679.6	34	17%	115.8
55 to 64	354	26%	572.6	300	26%	980.9	54	28%	172.9
65 +	247	18%	273.5	218	19%	518.5	29	15%	60.1
Unknown	0	0%	0.0	0	0%	-	0	0%	0.0
Total	1,339	100%	257.8	1,144	100%	440.2	195	100%	75.2
Transmission Category									
Male-to-male sexual contact (MSM)	787	59%	-	787	69%	-	0	0%	-
Injection drug use (IDU)	89	7%	-	50	4%	-	39	20%	-
MSM+IDU	123	9%	-	123	11%	-	0	0%	-
Heterosexual contact	103	8%	-	31	3%	-	72	37%	-
Perinatal exposure	6	0%	-	1	0%	-	5	3%	-
Transfusion/Hemophilia	1	0%	-	0	0%	-	1	1%	-
No identified risk (NIR)	230	17%	-	152	13%	-	78	40%	-
Total	1,339	100%	-	1,144	100%	-	195	100%	-

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2026).

Persons living with HIV data include data on persons living in Washoe County with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in Washoe County or Nevada.

* Rates per 100,000 population were calculated using 2025 population projections from the Nevada State Demographer vintage 2025 data.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Washoe County in 2025. Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.

Table 10. All Other Counties[^] New HIV Diagnoses, 2025

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	6	55%	2.2	4	50%	2.9	2	67%	1.4
Black, non-Hispanic	1	9%	15.8	1	13%	23.0	0	0%	0.0
Hispanic	4	36%	5.5	3	38%	7.8	1	33%	2.9
Asian/Hawaiian/ Pacific Islander	0	0%	0.0	0	0%	0.0	0	0%	0.0
American Indian/ Alaska Native	0	0%	0.0	0	0%	0.0	0	0%	0.0
Multi-race/Other	0	0%	0.0	0	0%	0.0	0	0%	0.0
Total	11	100%	2.9	8	100%	4.2	3	100%	1.6
Age Group at Diagnosis									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 14	0	0%	0.0	0	0%	0.0	0	0%	0.0
15 to 19	0	0%	0.0	0	0%	0.0	0	0%	0.0
20 to 24	2	18%	9.7	1	13%	8.6	1	33%	11.2
25 to 29	1	9%	4.3	1	13%	8.0	0	0%	0.0
30 to 34	2	18%	6.9	2	25%	13.3	0	0%	0.0
35 to 39	1	9%	3.6	1	13%	6.7	0	0%	0.0
40 to 44	0	0%	0.0	0	0%	0.0	0	0%	0.0
45 to 54	2	18%	4.7	2	25%	9.3	0	0%	0.0
55 to 64	3	27%	5.9	1	13%	3.9	2	67%	7.8
65 +	0	0%	0.0	0	0%	0.0	0	0%	0.0
Total	11	100%	2.9	8	100%	4.2	3	100%	1.6
Transmission Category									
Male-to-male sexual contact (MSM)	5	45%	-	5	63%	-	0	0%	-
Injection drug use (IDU)	2	18%	-	1	13%	-	1	33%	-
MSM+IDU	1	9%	-	1	13%	-	0	0%	-
Heterosexual contact	1	9%	-	0	0%	-	1	33%	-
Perinatal exposure	0	0%	-	0	0%	-	0	0%	-
Transfusion/Hemophilia	0	0%	-	0	0%	-	0	0%	-
No identified risk (NIR)	2	18%	-	1	13%	-	1	33%	-
Total	11	100%	-	8	100%	-	3	100%	-

Source: Division of Public and Behavioral Health, HIV Reporting System (eHARS), (March 2026).

New HIV diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases where resident county at time of diagnosis is All Other Counties, both living and deceased. The surveillance data excludes HIV/AIDS cases diagnosed in other states but who currently live in All Other Counties. HIV diagnoses and HIV stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in the same year.

[^]All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

* Rates per 100,000 population were calculated using 2025 population projections from the Nevada State Demographer vintage 2025 data.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.

Table 11. All Other Counties[^] New HIV Stage 3 (AIDS) Diagnoses, 2025

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	5	71%	1.8	3	60%	2.2	2	100%	1.4
Black, non-Hispanic	0	0%	0.0	0	0%	0.0	0	0%	0.0
Hispanic	1	14%	1.4	1	20%	2.6	0	0%	0.0
Asian/Hawaiian/ Pacific Islander	0	0%	0.0	0	0%	0.0	0	0%	0.0
American Indian/ Alaska Native	1	14%	7.2	1	20%	14.2	0	0%	0.0
Multi-race/Other	0	0%	0.0	0	0%	0.0	0	0%	0.0
Total	7	100%	1.8	5	100%	2.6	2	100%	1.1
Age Group at Diagnosis									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 14	0	0%	0.0	0	0%	0.0	0	0%	0.0
15 to 19	0	0%	0.0	0	0%	0.0	0	0%	0.0
20 to 24	0	0%	0.0	0	0%	0.0	0	0%	0.0
25 to 29	0	0%	0.0	0	0%	0.0	0	0%	0.0
30 to 34	2	29%	6.9	2	40%	13.3	0	0%	0.0
35 to 39	0	0%	0.0	0	0%	0.0	0	0%	0.0
40 to 44	1	14%	5.3	1	20%	10.0	0	0%	0.0
45 to 54	0	0%	0.0	0	0%	0.0	0	0%	0.0
55 to 64	2	29%	3.9	1	20%	3.9	1	50%	3.9
65 +	2	29%	2.3	1	20%	2.6	1	50%	2.1
Total	7	100%	1.8	5	100%	2.6	2	100%	1.1
Transmission Category									
Male-to-male sexual contact (MSM)	4	57%	-	4	80%	-	0	0%	-
Injection drug use (IDU)	0	0%	-	0	0%	-	0	0%	-
MSM+IDU	0	0%	-	0	0%	-	0	0%	-
Heterosexual contact	1	14%	-	0	0%	-	1	50%	-
Perinatal exposure	0	0%	-	0	0%	-	0	0%	-
Transfusion/ Hemophilia	0	0%	-	0	0%	-	0	0%	-
No identified risk (NIR)	2	29%	-	1	20%	-	1	50%	-
Total	7	100%	-	5	100%	-	2	100%	-

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2026).

New stage 3 (AIDS) diagnoses are counted in eHARS surveillance statistics and include stage 3 (AIDS) cases where resident county at time of diagnosis is All Other Counties. The surveillance data excludes AIDS cases diagnosed in other states but who currently live in All Other Counties.

[^]All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

* Rates per 100,000 population were calculated using 2025 population projections from the Nevada State Demographer vintage 2025 data.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.

Table 12. Persons Living with Diagnosed HIV§ in All Other Counties^, 2025

	Total			Male			Female		
	N	Column %	Rate*	n	Column %	Rate*	n	Column %	Rate*
Race/Ethnicity									
White, non-Hispanic	378	57%	135.6	301	57%	220.3	77	59%	54.2
Black, non-Hispanic	75	11%	1,185.1	59	11%	1,356.5	16	12%	808.5
Hispanic	164	25%	225.4	137	26%	354.2	27	21%	79.2
Asian/Hawaiian/ Pacific Islander	10	2%	115.8	8	2%	208.6	2	2%	41.6
American Indian/ Alaska Native	10	2%	72.2	9	2%	128.1	1	1%	14.6
Multi-race/Other	23	3%	-	16	3%	-	7	5%	-
Unknown	1	0%	-	0	0%	-	1	1%	-
Total	661	100%	173.8	530	100%	278.2	131	100%	69.0
Age Group at End of Year									
< 13	0	0%	0.0	0	0%	0.0	0	0%	0.0
13 to 14	0	0%	0.0	0	0%	0.0	0	0%	0.0
15 to 19	1	0%	4.3	1	0%	8.7	0	0%	0.0
20 to 24	9	1%	43.7	6	1%	51.4	3	2%	33.6
25 to 29	16	2%	68.7	15	3%	120.1	1	1%	9.3
30 to 34	39	6%	134.0	33	6%	220.2	6	5%	42.5
35 to 39	72	11%	256.4	63	12%	422.9	9	7%	68.3
40 to 44	55	8%	290.0	49	9%	488.7	6	5%	67.1
45 to 54	125	19%	293.7	93	18%	430.7	32	24%	152.6
55 to 64	193	29%	377.1	153	29%	598.2	40	31%	156.2
65 +	151	23%	175.9	117	22%	305.5	34	26%	71.5
Unknown	0	0%	-	0	0%	-	0	0%	-
Total	661	100%	173.8	530	100%	278.2	131	100%	69.0
Transmission Category									
Male-to-male sexual contact (MSM)	290	44%	-	290	55%	-	0	0%	-
Injection drug use (IDU)	96	15%	-	57	11%	-	39	30%	-
MSM+IDU	63	10%	-	63	12%	-	0	0%	-
Heterosexual contact	75	11%	-	19	4%	-	56	43%	-
Perinatal exposure	7	1%	-	2	0%	-	5	4%	-
Transfusion/Hemophilia	1	0%	-	1	0%	-	0	0%	-
No identified risk (NIR)	129	20%	-	98	18%	-	31	24%	-
Total	661	100%	-	530	100%	-	131	100%	-

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2026).

Persons living with HIV data include data on persons living in All Other Counties with HIV (not yet stage 3 (AIDS)) and stage 3 (AIDS) based on the current address listed in the HIV/AIDS Reporting System (eHARS). These persons may or may not have been diagnosed with HIV or stage 3 (AIDS) in All Other Counties or Nevada.

^All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

* Rates per 100,000 population were calculated using 2025 population projections from the Nevada State Demographer vintage 2025 data.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2025.

Due to rounding, percents may not add up to exactly 100.0% and certain rate categories may not add up to the total rate.

Table 13. Annual Percent Change: New HIV Diagnoses, Nevada, 2023-2025.

	2023		2024		2025		Annual % Change
	N	Column %	N	Column %	N	Column %	
County							
Clark	524	89%	562	91%	454	90%	-13%
Washoe	50	8%	45	7%	37	7%	-26%
All Other Counties**	17	3%	12	2%	11	2%	-35%
Total	591	100%	619	100%	502	100%	-15%
Sex at Birth							
Male	519	88%	527	85%	412	82%	-21%
Female	72	12%	92	15%	90	18%	25%
Total	591	100%	619	100%	502	100%	-15%
Race/Ethnicity							
White, non-Hispanic	149	25%	133	21%	147	29%	-1%
Black, non-Hispanic	150	25%	147	24%	121	24%	-19%
Hispanic	239	40%	292	47%	196	39%	-18%
Asian/Hawaiian/Pacific Islander	29	5%	34	5%	26	5%	-10%
American Indian/Alaska Native	6	1%	3	0%	2	0%	-67%
Multi-race/Other	18	3%	10	2%	10	2%	-44%
Unknown	0	0%	0	0%	0	0%	0%
Total	591	100%	619	100%	502	100%	-15%
Age Group*							
< 13	1	0%	1	0%	1	0%	0%
13 to 14	0	0%	1	0%	0	0%	0%
15 to 19	17	3%	15	2%	7	1%	-59%
20 to 24	67	11%	79	13%	58	12%	-13%
25 to 29	107	18%	99	16%	83	17%	-22%
30 to 34	111	19%	130	21%	82	16%	-26%
35 to 39	81	14%	114	18%	60	12%	-26%
40 to 44	69	12%	55	9%	63	13%	-9%
45 to 54	76	13%	70	11%	79	16%	4%
55 to 64	48	8%	41	7%	60	12%	25%
65 +	14	2%	14	2%	9	2%	-36%
Unknown	0	0%	0	0%	0	0%	0%
Total	591	100%	619	100%	502	100%	-15%
Transmission Category							
Males							
Male-to-male sexual contact (MSM)	360	61%	388	63%	290	58%	-19%
IDU	7	1%	11	2%	23	5%	229%
MSM+IDU	30	5%	21	3%	19	4%	-37%
Heterosexual contact	12	2%	14	2%	8	2%	-33%
Perinatal Exposure	1	0%	0	0%	1	0%	0%
Transfusion/Hemophilia	0	0%	0	0%	0	0%	0%
No identified risk (NIR)	109	18%	93	15%	71	14%	-35%
Subtotal	519	88%	527	85%	412	82%	-21%
Females							
IDU	8	1%	5	1%	9	2%	13%
Heterosexual contact	19	3%	33	5%	34	7%	79%
Perinatal Exposure	1	0%	1	0%	0	0%	0%
Transfusion/Hemophilia	0	0%	0	0%	0	0%	0%
No identified risk (NIR)	44	7%	53	9%	47	9%	7%
Subtotal	72	12%	92	15%	90	18%	25%
Total	591	100%	619	100%	502	100%	-15%

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2026).

* For New HIV diagnoses, age refers to age at HIV infection diagnosis. For persons living with HIV, age refers to age at the end of the report year.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

‡Annual % Change is the percentage increase or decrease relative to the number of cases in 2023.

Table 14. Annual Percent Change: Persons Living with HIV§ in Nevada, 2023-2025

	2023		2024		2025		Annual % Change _‡
	N	Column %	N	Column %	N	Column %	
County							
Clark	11,964	87%	12,551	87%	12,823	87%	7%
Washoe	1,256	9%	1,313	9%	1,339	9%	7%
All Other Counties**	569	4%	606	4%	661	4%	16%
Total	13,789	100%	14,470	100%	14,823	100%	7%
Sex at Birth							
Male	11,741	85%	12,350	85%	12,633	85%	8%
Female	2,048	15%	2,120	15%	2,190	15%	7%
Total	13,789	100%	14,470	100%	14,823	100%	7%
Race/Ethnicity							
White, non-Hispanic	5,032	36%	5,105	35%	5,110	34%	2%
Black, non-Hispanic	3,848	28%	4,014	28%	4,084	28%	6%
Hispanic	3,870	28%	4,249	29%	4,479	30%	16%
Asian/Hawaiian/Pacific Islander	538	4%	576	4%	597	4%	11%
American Indian/Alaska Native	70	1%	70	0%	66	0%	-6%
Multi-race/Other	429	3%	454	3%	485	3%	13%
Unknown	2	0%	2	0%	2	0%	0%
Total	13,789	100%	14,470	100%	14,823	100%	7%
Age Group*							
< 13	8	0%	9	0%	9	0%	13%
13 to 14	1	0%	0	0%	1	0%	0%
15 to 19	36	0%	31	0%	26	0%	-28%
20 to 24	251	2%	251	2%	250	2%	0%
25 to 29	798	6%	818	6%	762	5%	-5%
30 to 34	1,610	12%	1,643	11%	1,545	10%	-4%
35 to 39	1,728	13%	1,886	13%	1,981	13%	15%
40 to 44	1,539	11%	1,663	11%	1,748	12%	14%
45 to 54	2,811	20%	2,840	20%	2,834	19%	1%
55 to 64	3,275	24%	3,378	23%	3,497	24%	7%
65 +	1,732	13%	1,951	13%	2,170	15%	25%
Unknown	0	0%	0	0%	0	0%	0%
Total	13,789	100%	14,470	100%	14,823	100%	7%
Transmission Category							
Males							
Male-to-male sexual contact (MSM)	8,893	64%	9,360	65%	9,576	65%	8%
IDU	477	3%	472	3%	482	3%	1%
MSM+IDU	812	6%	828	6%	817	6%	1%
Heterosexual contact	354	3%	360	2%	360	2%	2%
Perinatal Exposure	35	0%	36	0%	36	0%	3%
Transfusion/Hemophilia	3	0%	3	0%	3	0%	0%
No identified risk (NIR)	1,167	8%	1,291	9%	1,359	9%	16%
Subtotal	11,741	85%	12,350	85%	12,633	85%	8%
Females							
IDU	283	2%	281	2%	282	2%	0%
Heterosexual contact	1,044	8%	1,067	7%	1,090	7%	4%
Perinatal Exposure	51	0%	50	0%	52	0%	2%
Transfusion/Hemophilia	3	0%	3	0%	3	0%	0%
No identified risk (NIR)	667	5%	719	5%	763	5%	14%
Subtotal	2,048	15%	2,120	15%	2,190	15%	7%
Total	13,789	100%	14,470	100%	14,823	100%	7%

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2026).

Persons living HIV data includes data on persons living in Nevada with HIV (any stage) in 2025, regardless of place of diagnosis.

**All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

§Persons Living with HIV indicate any person regardless of HIV staging, including HIV stage 3 (AIDS), living in Nevada in 2025.

‡Annual % Change is the percentage increase or decrease relative to the number of cases in 2023.

Table 15. Facility of Diagnosis for new HIV Diagnoses, Nevada, 2025

Facility of Diagnosis	Nevada		Clark County		Washoe County		All Other Counties*	
	N	Column %	n	Column %	n	Column %	n	Column %
Missing	94	18.7%	71	15.6%	15	40.5%	8	72.7%
Facility/Other	2	0.4%	2	0.4%	0	0.0%	0	0.0%
Facility/Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Inpatient Facility/Hospital	65	12.9%	61	13.4%	4	10.8%	0	0.0%
Outpatient Facility	10	2.0%	10	2.2%	0	0.0%	0	0.0%
Outpatient Facility/Private Physician's Office	146	29.1%	144	31.7%	2	5.4%	0	0.0%
Outpatient Facility/Adult HIV Clinic	4	0.8%	2	0.4%	2	5.4%	0	0.0%
Outpatient Facility/TB Clinic	3	0.6%	3	0.7%	0	0.0%	0	0.0%
Outpatient Facility/Other Clinic	10	2.0%	6	1.3%	4	10.8%	0	0.0%
Outpatient Facility/Community Health Center	3	0.6%	2	0.4%	0	0.0%	1	9.1%
Outpatient Facility/Primary Care Clinic, Not Specified	1	0.2%	0	0.0%	1	2.7%	0	0.0%
Outpatient Facility/Unknown	42	8.4%	41	9.0%	0	0.0%	1	9.1%
Emergency Room	5	1.0%	3	0.7%	2	5.4%	0	0.0%
(S,D,R) Blood Bank or Plasma Center	12	2.4%	11	2.4%	1	2.7%	0	0.0%
(S,D,R) HIV Counseling and Testing Site	41	8.2%	38	8.4%	3	8.1%	0	0.0%
(S,D,R) STD Clinic	28	5.6%	28	6.2%	0	0.0%	0	0.0%
Laboratory	13	2.6%	10	2.2%	3	8.1%	0	0.0%
Other Specific Facility	8	1.6%	8	1.8%	0	0.0%	0	0.0%
Other Specific Facility/Correctional Facility	15	3.0%	14	3.1%	0	0.0%	1	9.1%
Other Specific Facility/Coroner or Medical Examiner	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total	502	100.0%	454	100.0%	37	100.0%	11	100.0%

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2026).

New HIV Diagnoses are counted in eHARS surveillance statistics and include HIV and stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes HIV cases diagnosed in other states, but who currently live in Nevada. HIV diagnoses and stage 3 (AIDS) diagnoses may duplicate case counts if the person was diagnosed with both HIV and stage 3 (AIDS) in 2025.

*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

Table 16. Facility of Diagnosis for New Stage 3 (AIDS) Diagnoses, Nevada 2025

Facility of Diagnosis	Nevada		Clark County		Washoe County		All Other Counties*	
	N	Column %	n	Column %	n	Column %	n	Column %
Missing	64	28.3%	58	28.7%	6	35.3%	0	0.0%
Facility/Other	5	2.2%	5	2.5%	0	0.0%	0	0.0%
Inpatient Facility/Hospital	34	15.0%	27	13.4%	6	35.3%	1	14.3%
Outpatient Facility	3	1.3%	3	1.5%	0	0.0%	0	0.0%
Outpatient Facility/Private Physician's Office	62	27.4%	62	30.7%	0	0.0%	0	0.0%
Outpatient Facility/Adult HIV Clinic	7	3.1%	3	1.5%	3	17.6%	1	14.3%
Outpatient Facility/TB Clinic	1	0.4%	1	0.5%	0	0.0%	0	0.0%
Outpatient Facility/Other Clinic	15	6.6%	11	5.4%	1	5.9%	3	42.9%
Outpatient Facility/Unknown	8	3.5%	8	4.0%	0	0.0%	0	0.0%
(S,D,R) HIV Counseling and Testing Site	10	4.4%	10	5.0%	0	0.0%	0	0.0%
(S,D,R) STD Clinic	6	2.7%	6	3.0%	0	0.0%	0	0.0%
Other Specific Facility	3	1.3%	2	1.0%	0	0.0%	1	14.3%
Other Specific Facility/Correctional Facility	8	3.5%	6	3.0%	1	5.9%	0	0.0%
Other Specific Facility/Coroner or Medical Examiner	0	0.0%	0	0.0%	0	0.0%	1	14.3%
Total	226	100.0%	202	100.0%	17	100.0%	7	100.0%

Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), (March 2026).

New AIDS Diagnoses are counted in eHARS surveillance statistics and include stage 3 (AIDS) cases diagnosed in Nevada, both living and deceased. The surveillance data excludes AIDS cases diagnosed in other states, but who currently live in Nevada.

*All other counties include Carson City, Churchill, Douglas, Elko, Esmeralda, Eureka, Humboldt, Lander, Lincoln, Lyon, Mineral, Nye, Pershing, Storey, and White Pine Counties.

CONTACT INFORMATION

Ted Artiaga, MS
HIV/STD Biostatistician (Health Resource Analyst II)
Office of Analytics
Nevada Health Authority
4126 Technology Way Ste 201, Carson City, NV, 89706
Email: tartiaga@nvha.nv.gov
Phone (775) 684-5953

Scarlett Cazares, MPH
HIV surveillance Epidemiologist (Health Resource Analyst II)
Prevention and Surveillance Program, Office of HIV
Division of Public and Behavioral Health
Nevada Department of Human Services
10375 Professional Cir. Ste 341, Reno, NV, 89521
Email: scazares@health.nv.gov
Phone: (775) 688-0453

Recommended Citation: State of Nevada, Office of HIV. Division of Public and Behavioral Health. 2025 Fast Facts. Las Vegas, Nevada. e1.0 July 2026.

Additional References:

1) [End HIV Nevada](#) 2) [HIV OPHIE](#) 3) [HIV Prevention Program](#) 4) [Office of Analytics](#)

This publication was supported by the Centers for Disease Control and Prevention (CDC) through Grant Number NU62PS924828-03 for the HIV Prevention and Surveillance Program. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Nevada State Department of Health and Human Services nor the Centers for Disease Control and Prevention.