



NEVADA HEALTH AUTHORITY
HEALTH CARE PURCHASING AND COMPLIANCE DIVISION

NVHA.NV.GOV



Stacie Weeks
Director

Joe Lombardo
Governor

Todd Rich
Administrator

NOTICE OF PUBLIC HEARING

Daryl Jenkins, 7500 COBAL CANYON LN, LAS VEGAS, NV 89129, IS REQUESTING A VARIANCE, CASE #793, FROM THE NEVADA STATE BOARD OF HEALTH REGULATIONS.

NOTICE IS HEREBY GIVEN THAT Daryl Jenkins, 7500 Cobal Canyon Ln, Las Vegas, NV 89129, has requested a variance from Nevada Administrative Code (NAC) 444.790.

A public hearing will be conducted on September 5, 2025, at 9:00 am by the Nevada State Board of Health to consider this request. This meeting will be held online and at physical locations, listed below.

Physical Locations:

Southern Nevada Health District (SNHD)
Red Rock Trail Rooms A and B
280 S. Decatur Boulevard; Las Vegas, Nevada 89107

Nevada Division of Public and Behavioral Health (DPBH)
Hearing Room No. 303, 3rd Floor
4150 Technology Way; Carson City, Nevada 89706

Meeting Link:

https://teams.microsoft.com/l/meetup-join/19%3ameeting_MjVmMTM4MTQtMmYyOC00NmVjLTg4NWQtOTVlZWU1MzUyZGZl%40thread.v2/0?context=%7b%22Tid%22%3a%22e4a340e6-b89e-4e68-8eaa-1544d2703980%22%2c%22Oid%22%3a%22768e443d-3be6-48f0-9bb0-7e72f1276b8d%22%7d

Please Note: If you experience technical difficulties connecting online, please call into the meeting to participate by phone.

Join by Phone:

1-775-321-6111
Phone Conference ID Number: 402 212 427#

Daryl Jenkins, 7500 Cobal Canyon Ln, Las Vegas, NV 89129, is requesting a variance from NAC 444.790, which states:

NAC 444.790 Lot size. (NRS 439.200, 444.650)

1. A minimum area of 1 acre (43,560 square feet), including public streets and alleys or other public rights-of-way, lands or any portion thereof abutting on, running through or within a building site, is required for the installation of an individual sewage disposal system on a lot served by a well.

2. For a lot that is a part of a tentative map that is approved before January 1, 2000, a minimum area of 1/4 acre (10,890 square feet), including public streets or alleys or other public rights-of-way, lands or any portions thereof abutting on, running through or within a building site, is required for the installation of an individual sewage disposal system on a lot served by a community water supply.

3. For a lot that is part of a tentative map that is approved on or after January 1, 2000, a minimum area of 1/2 acre (21,780 square feet), including public streets or alleys or other public rights-of-way, lands or any portions thereof abutting on, running through or within a building site, is required for the installation of an individual sewage disposal system on a lot served by a community water supply.

[Bd. of Health, Indiv. Sewage Disposal Systems Reg. Note, eff. 1962; A and numbered as §§ 7.1-7.3, 11-23-72]—(NAC A 10-22-93; R129-98, 3-25-99; R100-07, 10-31-2007)

Applicant has requested a variance for Parcel #004-175-04 at 742 River Ave., Yerington, NV 89447. The parcel is a part of a tentative map that was approved before January 1, 2000. The parcel size is 0.23 acres. Applicant has requested the variance to proceed with their application for an Onsite Sewage Disposal System permit to construct.

The authority of the State Board of Health to consider and grant a variance from the requirements of a regulation is set forth at NRS 439.200 and NAC 439.200 – 439.280.

Persons wishing to comment upon the proposed variance may appear at the scheduled public hearing or may submit written testimony at least five days before the scheduled hearing to:

Secretary, State Board of Health
Division of Public and Behavioral Health
4150 Technology Way, Suite 300
Carson City, NV 89706

Anyone wishing to testify for more than five minutes on the proposed variance must petition the Board of Health at the above address. Petitions shall contain the following: 1) a concise statement of the subject(s) on which the petitioner will present testimony; 2) the estimated time for the petitioner's presentation.

This notice has also been posted at the following locations:

DIVISION OF PUBLIC AND BEHAVIORAL HEALTH (DPBH), 4150 TECHNOLOGY WAY, CARSON CITY, NV
DIVISION OF PUBLIC AND BEHAVIORAL HEALTH WEBSITE:

<http://dpbh.nv.gov/Boards/BOH/Meetings/Meetings/>